

# **Affinity Complex Iron 6% Organic Chelate**

Concentrated Iron liquid fertiliser solution combined with organic acids for maximum effectiveness.

#### **CAUTION:**

Avoid contact with eyes. Keep out of reach of children. If swallowed seek medical advice.

Do not store in direct sunlight.

## **CONDITIONS OF SALE:**

Affinity products are manufactured to label specifications. Affinity takes no responsibility for product damage, loss, injury or misuse of the product.

## **COMPATIBILITY**

Affinity Complex Iron is compatible in most ag chem tank mixes. However a jar test is recommended as some chemicals can react. Do not mix amines or calcium products.

Do not store mixed product. Mix well prior to use. Refer to SDS for correct handling and safety protocol.

Affinity Liquid Fertilisers works best when plants are actively growing and under reduced stress. Apply mid morning in dry conditions for best results. Do not spray in hot conditions. For best results consult a certified agronomist to determine crop deficiencies.

## **ANALYSIS**

Iron	6%
Sulphur	3%

## **Affinity Liquid Fertilisers**

Phone (08) 8267 4774 www.affinitybiotech.com.au

### DO NOT EXCEED RECOMMENDED **APPLICATION RATES**

## **Foliar Applications:**

Multiple applications may be required, 7-10 days apart. Avoid spraying over flowering.

## Fruit crops:

1.0 - 2.0L/ha. Post harvest, pre flowering and fruit fill or as required.

**Vegetables:** 1.0 - 2.0L/ha. As required.

**Vine crops:** 1.0 - 2.0L/ha Pre-flower, post fruit set and post harvest.

## **Broadacre crops:**

1.0 - 2.0L/ha post emergence or as required.

Fertigation / Soil Applications: 5-10L/ha

Never spray leaves with more than 4% of solution. For example for every 100lt of water you can apply 4lt of liquid fertilisers.















